


IRON POWDER CORE SERIES PRODUCTS

Toroidal Cores


STANDARD SPECIFICATIONS

Part Number	A_L $\mu H/N^2$	OD mm	ID mm	HT mm	Le cm	Ae cm ²	V cm ³
KT80-26B	71.0	20.2	12.6	9.53	5.14	.347	1.78
KT80-38B	72.0	20.2	12.6	9.53	5.14	.347	1.78
KT80-40B	59.0	20.2	12.6	9.53	5.14	.347	1.78
KT80-45B	84.0	20.2	12.6	9.53	5.14	.347	1.78
KT80-52B	63.0	20.2	12.6	9.53	5.14	.347	1.78
KT80-26D	92.0	20.2	12.6	12.7	5.14	.453	2.33
KT80-40D	79.0	20.2	12.6	12.7	5.14	.453	2.33
KT80-52D	83.0	20.2	12.6	12.7	5.14	.453	2.33
KT90-8	30.0	22.9	14.0	9.53	5.78	.395	2.28
KT90-8/93	30.0	22.9	14.0	9.53	5.78	.395	2.28
KT90-18	47.0	22.9	14.0	9.53	5.78	.395	2.28
KT90-26	70.0	22.9	14.0	9.53	5.78	.395	2.28
KT90-38	73.0	22.9	14.0	9.53	5.78	.395	2.28
KT90-40	57.0	22.9	14.0	9.53	5.78	.395	2.28
KT90-45	85.0	22.9	14.0	9.53	5.78	.395	2.28
KT90-52	64.0	22.9	14.0	9.53	5.78	.395	2.28
KT94-1	16.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-2	8.4	23.9	14.2	7.92	5.97	.362	2.16
KT94-2/93	8.4	23.9	14.2	7.92	5.97	.362	2.16
KT94-3	24.8	23.9	14.2	7.92	5.97	.362	2.16
KT94-6	7.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-8	25.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-8/93	25.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-10	5.8	23.9	14.2	7.92	5.97	.362	2.16
KT94-15	20.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-18	42.0	23.9	14.2	7.92	5.97	.362	2.16

TECHNICAL INFORMATION & PHYSICAL CHARACTERISTICS



TYPICAL PART No.



Le: Mean Magnetic Path Length

Ae: Cross Section Area

Ve: Core Volume