


IRON POWDER CORE SERIES PRODUCTS

Toroidal Cores


STANDARD SPECIFICATIONS

Part Number	A_L $\mu H/N^2$	OD mm	ID mm	HT mm	Le cm	Ae cm ²	V cm ³
KT30-10	2.5	7.8	3.84	3.25	1.84	.060	.110
KT30-15	9.5	7.8	3.84	3.25	1.84	.060	.110
KT30-8	14.0	7.80	3.84	3.25	1.84	.060	.110
KT30-8/93	14.0	7.80	3.84	3.25	1.84	.060	.110
KT30-18	22.0	7.80	3.84	3.25	1.84	.060	.110
KT30-26	33.5	7.80	3.84	3.25	1.84	.060	.110
KT30-40	28.0	7.80	3.84	3.25	1.84	.060	.110
KT30-45	40.5	7.80	3.84	3.25	1.84	.060	.110
KT30-52	30.5	7.80	3.84	3.25	1.84	.060	.110
KT37-1	8.0	9.53	5.21	3.25	2.31	.064	.147
KT37-2	4.0	9.53	5.21	3.25	2.31	.064	.147
KT37-2/93	4.0	9.53	5.21	3.25	2.31	.064	.147
KT37-3	12.0	9.53	5.21	3.25	2.31	.064	.147
KT37-6	3.0	9.53	5.21	3.25	2.31	.064	.147
KT37-7	3.2	9.53	5.21	3.25	2.31	.064	.147
KT37-8	12.0	9.53	5.21	3.25	2.31	.064	.147
KT37-8/93	12.0	9.53	5.21	3.25	2.31	.064	.147
KT37-10	2.5	9.53	5.21	3.25	2.31	.064	.147
KT37-15	9.0	9.53	5.21	3.25	2.31	.064	.147
KT37-18	19.0	9.53	5.21	3.25	2.31	.064	.147
KT37-26	28.5	9.53	5.21	3.25	2.31	.064	.147
KT37-40	24.5	9.53	5.1	3.25	2.31	.064	.147
KT37-45	34.0	9.53	5.21	3.25	2.31	.064	.147
KT37-52	26.0	9.53	5.21	3.25	2.31	.064	.147
KT38-2	7.4	9.53	4.45	4.83	2.18	.114	.248
KT38-2/93	7.4	9.53	4.45	4.83	2.18	.114	.248

TECHNICAL INFORMATION & PHYSICAL CHARACTERISTICS



TYPICAL PART No.



Le: Mean Magnetic Path Length

Ae: Cross Section Area

Ve: Core Volume