



# LMKIII Series

Mfg P/N	Input/Output (A)	Burden(VA)/Class			Product Description																																										
		0.2	0.5	1.0																																											
LMKIII-50	5/5	---	---	2.5(6T)																																											
	10/5	---	---	2.5(3T)																																											
	20/5	---	---	2.5(2T)																																											
	30/5	---	1.5	2.5																																											
	50/5	---	1.5	2.5																																											
	75/5	---	2.5	5																																											
	100/5	---	2.5	5																																											
	150/5	---	2.5	5																																											
	250/5	1.5	5	10																																											
	500/5	5	10	15																																											
	1000/5	10	20	25																																											
LMKIII-60	250/5	1.5	5	10																																											
	500/5	5	10	15																																											
	1000/5	10	20	25																																											
	1500/5	15	25	30																																											
	2000/5	25	40	50																																											
LMKIII-80	500/5	5	10	15	<p><b>Dimensions(mm)</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>a</th> <th>b</th> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>LMKIII-50</td> <td>16</td> <td>52</td> <td>75</td> <td>105</td> <td>55</td> </tr> <tr> <td>LMKIII-60</td> <td>33</td> <td>62</td> <td>100</td> <td>125</td> <td>56</td> </tr> <tr> <td>LMKIII-80</td> <td>33</td> <td>83</td> <td>100</td> <td>149</td> <td>56</td> </tr> <tr> <td>LMKIII-100</td> <td>33</td> <td>103</td> <td>105</td> <td>175</td> <td>56</td> </tr> <tr> <td>LMKIII-120</td> <td>33</td> <td>123</td> <td>125</td> <td>200</td> <td>56</td> </tr> <tr> <td>LMKIII-130</td> <td>57</td> <td>132</td> <td>130</td> <td>205</td> <td>54</td> </tr> </tbody> </table>	Type	a	b	A	B	C	LMKIII-50	16	52	75	105	55	LMKIII-60	33	62	100	125	56	LMKIII-80	33	83	100	149	56	LMKIII-100	33	103	105	175	56	LMKIII-120	33	123	125	200	56	LMKIII-130	57	132	130	205	54
	Type	a	b	A		B	C																																								
	LMKIII-50	16	52	75		105	55																																								
	LMKIII-60	33	62	100		125	56																																								
	LMKIII-80	33	83	100		149	56																																								
LMKIII-100	33	103	105	175		56																																									
LMKIII-120	33	123	125	200		56																																									
LMKIII-130	57	132	130	205		54																																									
1000/5	10	20	25																																												
1500/5	15	25	30																																												
2000/5	25	40	50																																												
2500/5	30	40	50																																												
LMKIII-100	1000/5	10	20	25																																											
	1500/5	15	25	30																																											
	2000/5	25	40	50																																											
	2500/5	30	40	50																																											
	3000/5	40	45	50																																											
LMKIII-120	1000/5	15	25	30																																											
	2000/5	25	40	50																																											
	2500/5	30	40	50																																											
	3000/5	40	45	50																																											
	5000/5	40	45	50																																											
LMKIII-130	1000/5	15	25	30																																											
	2000/5	25	40	50																																											
	2500/5	30	40	50																																											
	3000/5	40	45	50																																											
	5000/5	40	45	50																																											

**NOTE:**

- Rated Primary current :0-5000Aac
- Rated Secondary current: 5A
- Rated load: 2.5, 3.75, 5.0, 10,15, 20,30, 50VA
- Accuracy: 0.2, 0.5, 1.0 Class
- Output Connection:2\*2.5mm<sup>2</sup> Wire 1m or Terminal
- Forbidden to open the second, otherwise, easy to produce high voltage

# LMKIII Series

Mfg P/N	Input/Output (A)	Burden(VA)/Class			Product Description																																										
		0.2	0.5	1.0																																											
LMKIII-50	5/1	---	1.5(6T)	2.5(6T)																																											
	10/1	---	1.5(3T)	2.5(3T)																																											
	20/1	---	1.5(2T)	2.5(2T)																																											
	30/1	---	1.5	2.5																																											
	50/1	---	1.5	2.5																																											
	75/1	---	2.5	5																																											
	100/1	---	2.5	5																																											
	150/1	1.5	2.5	5																																											
	250/1	2.5	5	10																																											
	500/1	5	10	15																																											
	1000/1	10	20	25																																											
	1500/1	15	25	30																																											
LMKIII-60	250/1	2.5	5	10																																											
	500/1	5	10	15																																											
	1000/1	10	20	25																																											
	1500/1	15	25	30																																											
	2000/1	25	40	50																																											
LMKIII-80	500/1	5	10	15	<p><b>Dimensions(mm)</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>a</th> <th>b</th> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>LMKIII-50</td> <td>16</td> <td>52</td> <td>75</td> <td>105</td> <td>55</td> </tr> <tr> <td>LMKIII-60</td> <td>33</td> <td>62</td> <td>100</td> <td>125</td> <td>56</td> </tr> <tr> <td>LMKIII-80</td> <td>33</td> <td>83</td> <td>100</td> <td>149</td> <td>56</td> </tr> <tr> <td>LMKIII-100</td> <td>33</td> <td>103</td> <td>105</td> <td>175</td> <td>56</td> </tr> <tr> <td>LMKIII-120</td> <td>33</td> <td>123</td> <td>125</td> <td>200</td> <td>56</td> </tr> <tr> <td>LMKIII-130</td> <td>57</td> <td>132</td> <td>130</td> <td>205</td> <td>54</td> </tr> </tbody> </table>	Type	a	b	A	B	C	LMKIII-50	16	52	75	105	55	LMKIII-60	33	62	100	125	56	LMKIII-80	33	83	100	149	56	LMKIII-100	33	103	105	175	56	LMKIII-120	33	123	125	200	56	LMKIII-130	57	132	130	205	54
	Type	a	b	A		B	C																																								
	LMKIII-50	16	52	75		105	55																																								
	LMKIII-60	33	62	100		125	56																																								
	LMKIII-80	33	83	100		149	56																																								
LMKIII-100	33	103	105	175		56																																									
LMKIII-120	33	123	125	200		56																																									
LMKIII-130	57	132	130	205		54																																									
1000/1	10	20	25																																												
1500/1	15	25	30																																												
2000/1	25	40	50																																												
2500/1	30	40	50																																												
LMKIII-100	1000/1	10	20	25																																											
	1500/1	15	25	30																																											
	2000/1	25	40	50																																											
	2500/1	30	40	50																																											
	3000/1	30	45	50																																											
LMKIII-120	1000/1	15	25	30																																											
	2000/1	25	40	50																																											
	2500/1	30	40	50																																											
	3000/1	30	45	50																																											
	5000/1	40	45	50																																											
LMKIII-130	1000/1	15	25	30																																											
	2000/1	25	40	50																																											
	2500/1	30	40	50																																											
	3000/1	30	45	50																																											
	5000/1	30	45	50																																											

**NOTE:**

- Rated Primary current :0-5000Aac
- Rated Secondary current: 1A
- Rated load: 2.5, 3.75, 5.0, 10,15, 20,30, 50VA
- Accuracy: 0.2, 0.5, 1.0 Class
- Output Connection:2\*2.5mm<sup>2</sup> Wire 1m or Terminal
- Forbidden to open the second, otherwise, easy to produce high voltage