

Split Core Current Transformers

SCTK731 Series

SCTK731 series retro-fit (split-core) current transformer has been specially designed to facilitate their installation in new or already existing net works. They may be installed without opening any cable or bus-bar circuit. An internal precision resistor across the secondary winding of the CT provides a low safe voltage output. It can save time and the installation costs.



◆ Features

- Double-screw fastening, safe, easy to install, portable
- Wide inner window, allowing clamping of big cables or bus-bars
- Wide range of sizes to accommodate all the existing installations

◆ Applications

- Current measurement, monitoring and protection for electrical wiring and equipment.
- Current and power measurement for electric motors, lighting, air compressor, heating and ventilation system, air-condition equipment and automation – control system.
- Current, power and energy monitoring device.
- Relay protection device.

◆ Circuit connection diagram



◆ Technique Index

Electrical Parameter	
Frequency	50-400Hz
Rated Input	5A-5000A
Measuring range	5%In-130%In
Rated Output	0-5A
Ratio	$\leq \pm 0.5\%$
Phase angle	$\leq \pm 30\text{min}$
Dielectric strength	2.5KV/1mA/1min
Insulation Resistance	DC500V/100MΩ min



Mechanical Parameter	
Case	PC /UL94-V0
Bobbin	PBT
Core	Silicon steel
Internal structure	Epoxy
Construction	Screw
Operating Temp	$-25^{\circ}\text{C} \sim +75^{\circ}\text{C}$
Operating Humidity	$\leq 85\%$
Output Connection	Terminal

◆ Type Selection (Output: 1A/5A)

Mfg P/N	Rated Input (A)	Output (A)	Accuracy	Dimensions (mm/Inch)								
				A	B	C	D	E	F	G	H	I
SCTK731A(23)	100-400A	1A/5A	0.5、1.0、3.0	20	30	51	89	105	34	47	40	32
SCTK731B(58)	250-1000A	1A/5A	0.5、1.0、3.0	50	80	78	114	145	32	32	32	33
SCTK731C(88)	250-1000A	1A/5A	0.5、1.0、3.0	80	80	108	144	145	32	32	32	33
SCTK731D(812)	500-1500A	1A/5A	0.5、1.0、3.0	80	120	108	144	185	32	32	32	33
SCTK731E(814)	600-4000A	1A/5A	0.5、1.0、3.0	80	140	120	172	220	45	42	45	35
SCTK731F(816)	800-5000A	1A/5A	0.5、1.0、3.0	80	160	120	184	245	52	52	50	38
SCTK731G(36)	100-3000A	1A/5A	0.5、1.0、3.0	30	60	88	132	131	49	36	55	43

SCTK731 Series



◆ Type Selection (Output: 1A)

Mfg P/N	Input/Output (A)	Burden(VA)/Class				Product Description																																																																																
		0.2	0.5	1.0	3.0																																																																																	
SCTK731A(23)	100/1	---	---	---	1.5																																																																																	
	150/1	---	---	1.5	2.5																																																																																	
	200/1	---	1.5	2.5	3.75																																																																																	
	250/1	---	2.5	3.75	5																																																																																	
	400/1	1.5	3.75	5	10																																																																																	
SCTK731B(58)	250/1	---	2.5	3.75	5																																																																																	
	400/1	1.5	2.5	3.75	10																																																																																	
	500/1	1.5	3.75	5	15																																																																																	
	800/1	2.5	3.75	5	20																																																																																	
	1000/1	2.5	5	10	25																																																																																	
SCTK731C(88)	250/1	---	2.5	3.75	5																																																																																	
	400/1	1.5	2.5	3.75	10																																																																																	
	500/1	1.5	3.75	5	15																																																																																	
	800/1	2.5	3.75	5	20																																																																																	
	1000/1	2.5	5	10	25																																																																																	
SCTK731D(812)	500/1	1.5	3.75	5	15																																																																																	
	600/1	1.5	3.75	5	15																																																																																	
	800/1	2.5	3.75	5	20																																																																																	
	1000/1	2.5	5	10	25																																																																																	
	1500/1	2.5	7.5	30	45																																																																																	
SCTK731E(814)	800/1	2.5	3.75	5	20	<p>Dimensions(mm)</p> <table border="1"> <thead> <tr> <th>Type</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>I</th> </tr> </thead> <tbody> <tr> <td>731A(23)</td> <td>20</td> <td>30</td> <td>51</td> <td>89</td> <td>105</td> <td>34</td> <td>47</td> <td>40</td> <td>32</td> </tr> <tr> <td>731B(58)</td> <td>50</td> <td>80</td> <td>78</td> <td>114</td> <td>145</td> <td>32</td> <td>32</td> <td>32</td> <td>33</td> </tr> <tr> <td>731C(88)</td> <td>80</td> <td>80</td> <td>108</td> <td>144</td> <td>145</td> <td>32</td> <td>32</td> <td>32</td> <td>33</td> </tr> <tr> <td>731D(812)</td> <td>80</td> <td>120</td> <td>108</td> <td>144</td> <td>185</td> <td>32</td> <td>32</td> <td>32</td> <td>33</td> </tr> <tr> <td>731E(814)</td> <td>80</td> <td>140</td> <td>120</td> <td>172</td> <td>220</td> <td>45</td> <td>42</td> <td>45</td> <td>35</td> </tr> <tr> <td>731F(816)</td> <td>80</td> <td>160</td> <td>120</td> <td>184</td> <td>245</td> <td>52</td> <td>52</td> <td>50</td> <td>38</td> </tr> <tr> <td>731G(36)</td> <td>30</td> <td>60</td> <td>88</td> <td>132</td> <td>131</td> <td>49</td> <td>36</td> <td>55</td> <td>43</td> </tr> </tbody> </table>	Type	A	B	C	D	E	F	G	H	I	731A(23)	20	30	51	89	105	34	47	40	32	731B(58)	50	80	78	114	145	32	32	32	33	731C(88)	80	80	108	144	145	32	32	32	33	731D(812)	80	120	108	144	185	32	32	32	33	731E(814)	80	140	120	172	220	45	42	45	35	731F(816)	80	160	120	184	245	52	52	50	38	731G(36)	30	60	88	132	131	49	36	55	43
	Type	A	B	C	D		E	F	G	H	I																																																																											
	731A(23)	20	30	51	89		105	34	47	40	32																																																																											
	731B(58)	50	80	78	114		145	32	32	32	33																																																																											
	731C(88)	80	80	108	144		145	32	32	32	33																																																																											
731D(812)	80	120	108	144	185		32	32	32	33																																																																												
731E(814)	80	140	120	172	220		45	42	45	35																																																																												
731F(816)	80	160	120	184	245		52	52	50	38																																																																												
731G(36)	30	60	88	132	131		49	36	55	43																																																																												
1000/1	2.5	5	10	25																																																																																		
2000/1	5	7.5	30	45																																																																																		
2500/1	5	10	30	45																																																																																		
4000/1	5	15	30	45																																																																																		
SCTK731F(816)	1000/1	2.5	5	10	25																																																																																	
	1500/1	2.5	7.5	20	45																																																																																	
	2000/1	5	7.5	25	45																																																																																	
	2500/1	5	10	25	45																																																																																	
	3000/1	5	10	25	45																																																																																	
	4000/1	5	15	30	45																																																																																	
	5000/1	10	15	30	45																																																																																	
SCTK731G(36)	250/1	1.5	2.5	3.75	5																																																																																	
	600/1	2.5	5	7.5	10																																																																																	
	1500/1	2.5	7.5	20	30																																																																																	
	2500/1	5	10	25	30																																																																																	
	3000/1	5	10	25	30																																																																																	

- NOTE:**
- Rated Primary current :0-5000Aac
 - Rated Secondary current: 1A
 - Rated load: 2.5, 3.75, 5.0, 10,15, 20,30, 45VA
 - Accuracy: 0.2, 0.5, 1.0, 3.0 Class
 - Output Connection:2*2.5mm² Wire 1m or Terminal
 - Forbidden to open the second, otherwise, easy to produce high voltage

SCTK731 Series

◆ Type Selection (Output: 5A)

Mfg P/N	Input/Output (A)	Burden(VA)/Class			Product Description																																																																																
		0.5	1.0	3.0																																																																																	
SCTK731A(23)	100/5	---	---	1.5																																																																																	
	150/5	---	---	2.5																																																																																	
	200/5	---	1.5	2.5																																																																																	
	250/5	---	2.5	3.75																																																																																	
	400/5	2.5	5	10																																																																																	
SCTK731B(58)	250/5	1.5	2.5	5																																																																																	
	400/5	2.5	3.75	10																																																																																	
	500/5	2.5	5	10																																																																																	
	800/5	2.5	5	15																																																																																	
	1000/5	5	10	25																																																																																	
SCTK731C(88)	250/5	1.5	2.5	5	<p>Dimensions(mm)</p> <table border="1"> <thead> <tr> <th>Type</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>I</th> </tr> </thead> <tbody> <tr> <td>731A(23)</td> <td>20</td> <td>30</td> <td>51</td> <td>89</td> <td>105</td> <td>34</td> <td>47</td> <td>40</td> <td>32</td> </tr> <tr> <td>731B(58)</td> <td>50</td> <td>80</td> <td>78</td> <td>114</td> <td>145</td> <td>32</td> <td>32</td> <td>32</td> <td>33</td> </tr> <tr> <td>731C(88)</td> <td>80</td> <td>80</td> <td>108</td> <td>144</td> <td>145</td> <td>32</td> <td>32</td> <td>32</td> <td>33</td> </tr> <tr> <td>731D(812)</td> <td>80</td> <td>120</td> <td>108</td> <td>144</td> <td>185</td> <td>32</td> <td>32</td> <td>32</td> <td>33</td> </tr> <tr> <td>731E(814)</td> <td>80</td> <td>140</td> <td>120</td> <td>172</td> <td>220</td> <td>45</td> <td>42</td> <td>45</td> <td>35</td> </tr> <tr> <td>731F(816)</td> <td>80</td> <td>160</td> <td>120</td> <td>184</td> <td>245</td> <td>52</td> <td>52</td> <td>50</td> <td>38</td> </tr> <tr> <td>731G(36)</td> <td>30</td> <td>60</td> <td>88</td> <td>132</td> <td>131</td> <td>49</td> <td>36</td> <td>55</td> <td>43</td> </tr> </tbody> </table>	Type	A	B	C	D	E	F	G	H	I	731A(23)	20	30	51	89	105	34	47	40	32	731B(58)	50	80	78	114	145	32	32	32	33	731C(88)	80	80	108	144	145	32	32	32	33	731D(812)	80	120	108	144	185	32	32	32	33	731E(814)	80	140	120	172	220	45	42	45	35	731F(816)	80	160	120	184	245	52	52	50	38	731G(36)	30	60	88	132	131	49	36	55	43
	Type	A	B	C		D	E	F	G	H	I																																																																										
	731A(23)	20	30	51		89	105	34	47	40	32																																																																										
	731B(58)	50	80	78		114	145	32	32	32	33																																																																										
	731C(88)	80	80	108		144	145	32	32	32	33																																																																										
731D(812)	80	120	108	144	185	32	32	32	33																																																																												
731E(814)	80	140	120	172	220	45	42	45	35																																																																												
731F(816)	80	160	120	184	245	52	52	50	38																																																																												
731G(36)	30	60	88	132	131	49	36	55	43																																																																												
400/5	2.5	3.75	10																																																																																		
500/5	2.5	5	10																																																																																		
800/5	2.5	5	15																																																																																		
1000/5	5	10	25																																																																																		
SCTK731D(812)	500/5	2.5	10	20	<p>NOTE:</p> <ul style="list-style-type: none"> ● Rated Primary current :0-5000Aac ● Rated Secondary current: 5A ● Rated load: 2.5, 3.75, 5.0, 10,15, 20,30, 45VA ● Accuracy: 0.5, 1.0, 3.0 Class ● Output Connection:2*2.5mm² Wire 1m or Terminal ● Forbidden to open the second, otherwise, easy to produce high voltage 																																																																																
	600/5	2.5	15	25																																																																																	
	800/5	2.5	15	25																																																																																	
	1000/5	5	20	25																																																																																	
	1500/5	7.5	30	45																																																																																	
SCTK731E(814)	800/5	3.75	5	20																																																																																	
	1000/5	5	10	25																																																																																	
	2000/5	7.5	30	45																																																																																	
	2500/5	10	30	45																																																																																	
	4000/5	15	30	45																																																																																	
SCTK731F(816)	1000/5	5	10	25																																																																																	
	1500/5	7.5	20	45																																																																																	
	2000/5	7.5	25	45																																																																																	
	2500/5	10	25	45																																																																																	
	3000/5	10	25	45																																																																																	
	4000/5	15	30	45																																																																																	
	5000/5	15	30	45																																																																																	
SCTK731G(36)	250/5	2.5	3.75	5																																																																																	
	600/5	5	7.5	10																																																																																	
	1500/5	7.5	20	30																																																																																	
	2500/5	10	25	30																																																																																	
	3000/5	10	25	30																																																																																	